Calculus BC Schedule--Unit 4/Chapter 4, 5: Applications of Derivatives

	Monday	Tuesday	Wednesday	Thursday	Friday
Week 7	*29-Sep*	*30-Sep*	*1-Oct*	*2-Oct*	*3-Oct*
Lesson	5.2 Maximum and Minimum Values; Critical Numbers	5.2 Maximum and Minimum Values; Critical Numbers	***1/2 DAY*** ACT Practice Test for Juniors	5.1 Mean Value Theorem	5.1 Mean Value Theorem **Quiz 5.1**
HMWK	**HW1**--p.358 #7, 13,17,23,25,27,35, p.361 AP Practice #1, Calculator p.359 #66ab	**HW2**--p.358 #39, 42,51,59,61, p.361 AP Practice #3,6, Calculator p.359 #70ab	**Study for Quiz 5.1**	**HW3**--p.343 #21ab,27ab,58, p.345 AP Practice #3, Calculator p.343 #24,29	**HW4**--p.343 #23,22,68, p.346 AP Practice #9, p,343 Calculator #28

Week 8	*6-Oct*	*7-Oct*	*8-Oct*	*9-Oct*	*10-Oct*
Lesson	5.1 Mean Value Theorem	5.3 Local Extrema and Concavity	5.3 Local Extrema and Concavity	**NO SCHOOL** -- Parent / Teacher / Student Conferences	**NO SCHOOL**
HMWK	**HW5**--p.343 #31,37,41, p.375 #13,17,35,37, p.379 AP Practice #4	**HW6**--p.376 #39bc,41bc,49bc, 77,79	**HW7**--p.376 #63,64, p.379 AP Practice #2,5,6	**No Additional Homework**	**No Additional Homework**

Week 9	*13-Oct*	*14-Oct*	*15-Oct*	*16-Oct*	*17-Oct*
Lesson	**NO SCHOOL** -- Indigineous People's Day & Columbus Day	5.3 Local Extrema and Concavity	**EARLY DISMISSAL** 5.3 Local Extrema and Concavity	4.3 Differentials, Linearization	4.3 Differentials, Linearization **Quiz 5.2 & 5.3**
HMWK	**No Additional Homework**	**HW8**--p.380 AP Practice #9,10, 12,16 Calculator p.377 #94a-e, Video on 2nd Derivative Test *October IML Math Contest after school*	**HW9**--p.377 #67b,69b,91, p.379 AP Practice #1,7,8	**HW10**--p.309 #25,27, Calculator p.309 #35,37, p.312 AP Practice #5,8 **Study for Quiz 5.2 & 5.3**	**HW11**--p.309 #7,33,53, p.312 AP Practice #7, p.330 AP Review #2,6

Calculus BC Schedule--Unit 4/Chapter 4, 5: Applications of Derivatives

	Monday	Tuesday	Wednesday	Thursday	Friday
Week 10	*20-Oct*	*21-Oct*	*22-Oct*	*23-Oct*	*24-Oct*
Lesson	4.2 Related Rates	4.2 Related Rates	**EARLY DISMISSAL** 4.2 Related Rates	4.2 Related Rates	*Unit 4 REVIEW (Book Chapters 4 & 5)*
HMWK	**HW12**--p.295 #7,9,10,11,13	**HW13**--p.297 #32,34, p.300 AP Practice #9	**HW14**--p.296 #19,22,35,39	**HW15**--p.297 #44,52, p.299 AP Practice #2,3,4	**HW16**--Unit 4 AP Progress Check
Week 11	*27-Oct*	*28-Oct*	*29-Oct*		
Lesson	*Unit 4 REVIEW (Book Chapters 4 & 5)*	**Unit 4 TEST**	**EARLY DISMISSAL** AP Activity: Unit 4 (Book Chapters 4 & 5)		
HMWK	**STUDY for TEST!!!**	**No Additional Homework**	*AP Activity: Unit 4 due Nov 5*		

Calculus BC Schedule--Unit 4/Chapter 4, 5: Applications of Derivatives

	Monday	Tuesday	Wednesday	Thursday	Friday

UNIT 4: Applications of Derivatives

FUN-4
A function's derivative can be used to understand some behaviors of the function.

LEARNING OBJECTIVE	ESSENTIAL KNOWLEDGE
FUN-4.A Justify conclusions about the behavior of a function based on the behavior of its derivatives.	**FUN-4.A.1** The first derivative of a function can provide information about the function and its graph, including intervals where the function is increasing or decreasing.
FUN-4.A Justify conclusions about the behavior of a function based on the behavior of its derivatives.	**FUN-4.A.2** The first derivative of a function can determine the location of relative (local) extrema of the function.
FUN-4.A Justify conclusions about the behavior of a function based on the behavior of its derivatives.	**FUN-4.A.3** Absolute (global) extrema of a function on a closed interval can only occur at critical points or at endpoints.
FUN-4.A Justify conclusions about the behavior of a function based on the behavior of its derivatives.	**FUN-4.A.4** The graph of a function is concave up (down) on an open interval if the function's derivative is increasing (decreasing) on that interval. **FUN-4.A.5** The second derivative of a function provides information about the function and its graph, including intervals of upward or downward concavity. **FUN-4.A.6** The second derivative of a function may be used to locate points of inflection for the graph of the original function.
FUN-4.A Justify conclusions about the behavior of a function based on the behavior of its derivatives.	**FUN-4.A.7** The second derivative of a function may determine whether a critical point is the location of a relative (local) maximum or minimum. **FUN-4.A.8** When a continuous function has only one critical point on an interval on its domain and the critical point corresponds to a relative (local) extremum of the function on the interval, then that critical point also corresponds to the absolute (global) extremum of the function on the interval.
FUN-4.A Justify conclusions about the behavior of a function based on the behavior of its derivatives.	**FUN-4.A.9** Key features of functions and their derivatives can be identified and related to their graphical, numerical, and analytical representations. **FUN-4.A.10** Graphical, numerical, and analytical information from f' and f'' can be used to predict and explain the behavior of f.
FUN-4.A Justify conclusions about the behavior of a function based on the behavior of its derivatives.	**FUN-4.A.11** Key features of the graphs of f, f', and f'' are related to one another.
FUN-4.D Determine critical points of implicit relations.	**FUN-4.D.1** A point on an implicit relation where the first derivative equals zero or does not exist is a critical point of the function.
FUN-4.E Justify conclusions about the behavior of an implicitly defined function based on evidence from its derivatives.	**FUN-4.E.1** Applications of derivatives can be extended to implicitly defined functions. **FUN-4.E.2** Second derivatives involving implicit differentiation may be relations of x, y, and $\frac{dy}{dx}$.

FUN-1
Existence theorems allow us to draw conclusions about a function's behavior on an interval without precisely locating that behavior.

LEARNING OBJECTIVE	ESSENTIAL KNOWLEDGE
FUN-1.B Justify conclusions about functions by applying the Mean Value Theorem over an interval.	**FUN-1.B.1** If a function f is continuous over the interval $[a, b]$ and differentiable over the interval (a, b), then the Mean Value Theorem guarantees a point within that open interval where the instantaneous rate of change equals the average rate of change over the interval.
FUN-1.C Justify conclusions about functions by applying the Extreme Value Theorem.	**FUN-1.C.1** If a function f is continuous over the interval $[a, b]$, then the Extreme Value Theorem guarantees that f has at least one minimum value and at least one maximum value on $[a, b]$. **FUN-1.C.2** A point on a function where the first derivative equals zero or fails to exist is a critical point of the function. **FUN-1.C.3** All local (relative) extrema occur at critical points of a function, though not all critical points are local extrema.

CHA-3
Derivatives allow us to solve real-world problems involving rates of change.

LEARNING OBJECTIVE	ESSENTIAL KNOWLEDGE
CHA-3.A Interpret the meaning of a derivative in context.	**CHA-3.A.1** The derivative of a function can be interpreted as the instantaneous rate of change with respect to its independent variable. **CHA-3.A.2** The derivative can be used to express information about rates of change in applied contexts. **CHA-3.A.3** The unit for $f'(x)$ is the unit for f divided by the unit for x.
CHA-3.D Calculate related rates in applied contexts.	**CHA-3.D.1** The chain rule is the basis for differentiating variables in a related rates problem with respect to the same independent variable. **CHA-3.D.2** Other differentiation rules, such as the product rule and the quotient rule, may also be necessary to differentiate all variables with respect to the same independent variable.
CHA-3.E Interpret related rates in applied contexts.	**CHA-3.E.1** The derivative can be used to solve related rates problems; that is, finding a rate at which one quantity is changing by relating it to other quantities whose rates of change are known.
CHA-3.F Approximate a value on a curve using the equation of a tangent line.	**CHA-3.F.1** The tangent line is the graph of a locally linear approximation of the function near the point of tangency. **CHA-3.F.2** For a tangent line approximation, the function's behavior near the point of tangency may determine whether a tangent line value is an underestimate or an overestimate of the corresponding function value.